Putting on the Client's Hat

Compelling, Client-Focused Content Meets Page Architecture™

Beverley Sinclair Sinclair Nancy Webb Praphic design



Our Objective

Introduce tools and techniques to make your proposals, and other business communications, more clear and responsive.

- Identify unstated information requirements by
 - becoming more client-focused
 - understanding the communication process
- Create pages that support and enhance your message by
 - understanding visual (vs. verbal) communication
 - communicating effectively through Page Architecture™





What makes a proposal a winning proposal?

A winning proposal is:

- Compliant
- Well written, presented, and organized
- Convincing
- Client-focused

What does it mean to be "client-focused"?

It means putting the *interests, values,* and *needs* of the client first.

Using these tools and techniques you will be better able to

- Identify your clients
- Understand their needs
- Understand their wants
- Understand their issues and concerns
- Convey your message within a context that the client can more fully understand and appreciate


What is communication?

"Communication" comes from the Latin word meaning "to share."


Does your drawing look something like this?




Did you remember to close the feedback loop?




This can only happen when all parties share common values and experiences, their "fields of experience"




The **channel** is the tangible vehicle for the message, whether printed, electronic, or verbal




Encoding means translating the message, within the common field of experience, to successfully communicate it to the client



The client then **decodes** what we have communicated



Barriers to effective communication ("or noise") can result in a breakdown or failure of the communication process.



Client focus + The Communication Process

How can we create a common field of experience with our client to more effectively share our message?

Focus more on

- Who the client is and what the client has told us
- Gathering competitive intelligence
- Analyzing what you know about the client's needs and wants
- Anticipating the client's needs and wants

By

- Listening to what your team members know about the client, the project, and the client's field of experience in this area
- Putting on the Client's Hat

Let's start by thinking about who the client is

- The organization issuing the RFP
- The project stakeholders
- Their clients
- Everyone who will be affected by the outcome of the project

Who are some of our clients in the following example?

A proposal to build a sports stadium in an economically depressed major city

- City government
- Taxpayers
- Conservation groups
- People who live in the area where the stadium will be built
- People whose livelihood depends on tourism

What will each of these clients be concerned about?

- City government: cost, funding, risk, jobs, tourism, safety, suitability, sanitation, subcontracting, building code compliance
- Stadium management: design, risk, building code compliance, garbage, sanitation,
- City residents: cost, funding, jobs, noise, traffic
- Taxpayers: cost, funding
- Local residents: noise, traffic, appearance, sanitation, crime
- Local businesses: tourism income, traffic

Stadium stakeholders: Issues / Requirements Matrix

Stakeholder	Cost	Risk	Funding	Jobs	Tourism	Safety	Design	Traffic	Noise	Code Compliance
City Gov.	X	X	X	X	X	X	X	X	X	X
Stadium Mgmt.	X	X				X	X	X		X
City Residents	X	X	X	X	X	X	X	X	X	
Taxpayers	X		X							
Local Residents	X		X	X	X	X	X	X	X	
Local Business				X	X			X		

By putting on the client's hat we can

- Identify and reduce barriers to communication
- Improve the communication context and environment
- Better enable the client to understand and appreciate our message
- More effectively share our message with the client


Our Objective

Introduce tools and techniques to make your proposals, and other business communications, more responsive.

- Identify unstated information requirements by
 - becoming more client-focused
 - understanding the communication process
- Create pages that support and enhance your message by
 - understanding visual (vs. verbal) communication
 - communicating effectively through Page Architecture™







Visual vs. verbal communication: The words

- Written words make you hear spoken words
- Visuals communicate viscerally
- Visual consistency clarifies content

Talk Talk Talk




Visual vs. verbal communication: The page

Newspaper	Brochure	Spec Sheet
Annual Report	Textbook	White Paper
		Proposal?


Page Architecture . . . ?

Eyes & Brain on a Page




Feet & Body in a Room





Page Architecture at work



POWERED HAND TOOLS -**BASIC ELECTRICAL SAFETY**

SAFETY INFOGRAM

- · INSPECT tools, power cords, and electrical fittings for damage prior to each use. Repair or replace
- · DO NOT WEAR gloves loose clothing or jewelry while using revolving power tools.

- · SWITCH tools OFF before connecting them to a
- · DISCONNECT power supply before making
- · ENSURE tools are properly grounded or doubleinsulated. The grounded tool must have an approved 3-wire cord with a 3-prong plug. This plug should be plugged in a properly grounded
- TEST all tools for effective grounding with a continuity tester or a GFCI before use.
- · DO NOT BYPASS the switch and operate the tools by connecting and disconnecting the power cord.
- · DO NOT USE electric tools in wet conditions or damp locations unless tool is connected to a ground fault circuit interrupter (GFCI).
- · DO NOT CLEAN tools with flammable or toxic
- · DO NOT OPERATE tools in an area containing explosive vapours or gases.

- · KEEP power cords clear of tools during use.
- · SUSPEND power cords over aisles or work areas to eliminate stumbling or tripping hazards.
- REPLACE open front plugs with dead front plugs. Dead front plugs are sealed and present less danger of shock or short circuit



(416) 999-4321 Telex:000-123

· DO NOT USE light duty power cords.

DO NOT CARRY electrical tools by the power



CHECKLIST

- · INSPECT CORDS & PLUGS
- Check power cords and plugs daily. Discard if worn or damaged. Have any cord that feels more than comfortably warm checked by an
- FLIMINATE OCTOPUS CONNECTIONS
- Do not plug several power cords into one
- · PULL THE PLUG, NOT THE CORD
- Do not disconnect power supply by pulling or jerking cord from the outlet. Pulling the cord causes wear and may cause a shock.
- · NEVER BREAK OFF THE THIRD PRONG
- Replace broken three-prong plugs and make sure the third prong is properly grounded.
- · NEVER USE EXTENSION CORDS AS PERMANENT WIRING
- Use extension cords only to temporarily supply power to an area that does not have a power
- Keep power cords away from heat, water and oil. They can damage the insulation and cause a
- Do not allow vehicles to pass over unprotected power cords. Cords should be put in conduit or protected by placing planks alongside

SAFETY INFOGRAM F01

POWERED HAND TOOLS: **Basic Electrical Safety**

INSPECT tools, power cords, and electrical fittings for damage prior to each use. Repair or replace damaged equipment.

Do not wear gloves loose clothing or jewelry while using revolving power tools.

Tools

SWITCH tools OFF before connecting them to a power supply.

DISCONNECT power supply before making adjustments.

Ensure tools are properly grounded or double-insulated. The grounded tool must have an approved 3-wire cord with a 3prong plug. This plug should be plugged in a properly grounded 3-pole outlet.

TEST all tools for effective grounding with a continuity tester or a GFCI before use.

DO NOT BYPASS the switch and operate the tools by connecting and disconnecting the power cord.

Do NOT USE electric tools in wet conditions or damp locations unless tool is connected to a ground fault circuit interrupter

DO NOT CLEAN tools with flammable or toxic solvents.

DO NOT OPERATE tools in an area containing explosive vapours

Power Cords

KEEP power cords clear of tools during use.

SUSPEND power cords over aisles or work areas to eliminate stumbling or tripping hazards.

REPLACE open front plugs with dead front plugs. Dead front plugs are sealed and present less danger of shock or short







Do NOT USE light duty power cords.

Do NOT CARRY electrical tools by the power cord.

DO NOT TIE power cords in knots. Knots can cause short circuits and shocks. Loop the cords or use a twist lock plug.



Checklist

Inspect Cords and Plugs Check power cords and plugs daily. Discard if worn or damaged. Have any cord that feels more than comfortably warm checked by an electrician

DO NOT PLUG several power cords into one outlet.

wear and may cause a shock.

Pull the Plug, Not the Cord DO NOT DISCONNECT power supply by pulling or jerking cord from the outlet. Pulling the cord causes

Never Break Off the Third Prong on a Plug Replace broken three-prong plugs and make sure the third prong is properly grounded.

Never Use Extension Cords as Permanent Wiring Use extension cords only to temporarily supply power to an area that does not have a power outlet.

Keep Power Cords Away from Heat. Water & Oil They can damage the insulation and cause a shock.

Do Not Allow Vehicles to Pass Over Unprotected Power Cords

Cords should be put in conduit or protected by placing planks alongside them.




100 March Street, Hamilton, Ontario, D9M 7B9 ISSN 9999-1234




Some basic building blocks & critical details

- White (negative) space
- Scannability / Readability / Visual hierarchy
- Pattern / Meaning / Consistency
- Pacing

White (negative) space





White (negative) space



POWERED HAND TOOLS -**BASIC ELECTRICAL SAFETY**


SAFETY INFOGRAM

- · INSPECT tools, power cords, and electrical fittings for damage prior to each use. Repair or replace damaged equipment.
- · DO NOT WEAR gloves loose clothing or jewelry while using revolving power tools.

- · SWITCH tools OFF before connecting them to a
- · DISCONNECT power supply before making
- · ENSURE tools are properly grounded or doubleinsulated. The grounded tool must have an approved 3-wire cord with a 3-prong plug. This plug should be plugged in a properly grounded
- · TEST all tools for effective grounding with a continuity tester or a GFCI before use
- · DO NOT BYPASS the switch and operate the tools by connecting and disconnecting the power cord.
- · DO NOT USE electric tools in wet conditions or damp locations unless tool is connected to a ground fault circuit interrupter (GFCI).
- · DO NOT CLEAN tools with flammable or toxic
- · DO NOT OPERATE tools in an area containing explosive vapours or gases.

POWER CORDS

- . KEEP power cords clear of tools during use.
- · SUSPEND power cords over aisles or work areas to eliminate stumbling or tripping hazards
- REPLACE open front plugs with dead front plugs. Dead front plugs are sealed and present less danger of shock or short circuit



· DO NOT USE light duty power cords.

· DO NOT CARRY electrical tools by the power



CHECKLIST

- · INSPECT CORDS & PLUGS
- Check power cords and plugs daily. Discard if worn or damaged. Have any cord that feels more than comfortably warm checked by an
- · ELIMINATE OCTOPUS CONNECTIONS
- Do not plug several power cords into one
- · PULL THE PLUG, NOT THE CORD
- Do not disconnect power supply by pulling or jerking cord from the outlet. Pulling the cord causes wear and may cause a shock
- · NEVER BREAK OFF THE THIRD PRONG
- Replace broken three-prong plugs and make sure the third prong is properly grounded.
- · NEVER USE EXTENSION CORDS AS PERMANENT WIRING
- Use extension cords only to temporarily supply power to an area that does not have a power
- Keep power cords away from heat, water and oil. They can damage the insulation and cause a
- Do not allow vehicles to pass over unprotected power cords. Cords should be put in conduit or protected by placing planks alongside

SAFETY INFOGRAM F01

POWERED HAND TOOLS: **Basic Electrical Safety**

INSPECT tools, power cords, and electrical fittings for damage prior to each use. Repair or replace damaged equipment.

DO NOT WEAR gloves loose clothing or jewelry while using revolving power tools

Tools

SWITCH tools OFF before connecting them to a power supply.

DISCONNECT power supply before making adjustment

Ensure tools are properly grounded or double-insulated. The grounded tool must have an approved 3-wire cord with a 3-prong plug. This plug should be plugged in a properly

TEST all tools for effective grounding with a continuity tester or a GFCI before use.

DO NOT BYPASS the switch and operate the tools by connecting and disconnecting the power cord.

DO NOT USE electric tools in wet conditions or damp locations unless tool is connected to a ground fault circuit interrupter

DO NOT CLEAN tools with flammable or toxic solvents

Do NOT OPERATE tools in an area containing explosive vapours

Power Cords

KEEP power cords clear of tools during use.

SUSPEND power cords over aisles or work areas to eliminate stumbling or tripping hazards

Replace open front plugs with dead front plugs. Dead front plugs are sealed and present less danger of shock or short







Do NOT USE light duty power cords.

Do NOT CARRY electrical tools by the power cord.

DO NOT TIE power cords in knots. Knots can cause short circuits and shocks. Loop the cords or use a twist lock plug.



Checklist

Inspect Cords and Plugs Check power cords and plugs daily. Discard if worn or damaged. Have any cord that feels more than comfortably warm checked by an electrician.

Eliminate Octopus Connections

DO NOT PLUG several power cords into one outlet

Pull the Plug, Not the Cord Do NOT DISCONNECT power supply by pulling or jerking cord from the outlet. Pulling the cord causes wear and may cause a shock.

Never Break Off the Third Prong on a Plug Replace broken three-prong plugs and make sure the third prong is properly grounded.

Never Use Extension Cords as Permanent Wiring Use extension cords only to temporarily supply power to an area that does not have a power outlet

Keep Power Cords Away from Heat, Water & Oil They can damage the insulation and cause a shock.

Do Not Allow Vehicles to Pass Over Unprotected

Cords should be put in conduit or protected by placing planks alongside them



100 March Street, Hamilton, Ontario, D9M 7B9 (416) 999-4321 Telex: 000-1234

White (negative) space



County of Alameda GSA



Fundale Apartments, Certain City, CA

AlphaBeta provides all property maintenance for this 416-unit residential community, including all landscape and tree maintenance. The 18-acres include lawn areas; mature trees; walkways with shrubs and bushes; and entrance area color spots. AlphaBeta monthly maintenance includes:

- . Turf care including mowing, edging and fertilization
- Irrigation system inspection and repair
- Tree care including pruning, trimming and disease control
- Managing Treewise for tree program implementation Shrub and ground cover trimming/pruning and fertilization
- Plant replacement and seasonal (color spot) plantings, including
- recommendations for plant materials used
- . Identification and treatment of diseased trees and plants
- Debris removal and disposal from parking lots and culverts
- Weed and pest control
- . Removal of fallen trees and branches after storms
- 24-hour on-call services for emergencies



AlphaBeta Commons, Certain City, CA

AlphaBeta provides all property maintenance for this 863-unit residential community, including all landscape and common-area maintenance. The 54acre property includes mature trees; planted areas with shrubs and bushes; and entrance area color spots. AlphaBeta monthly maintenance includes:

- Turf care including mowing, edging and fertilization
- Tree care including pruning, shaping, fertilization and disease
- identification and treatment Irrigation system inspection and repair
- Shrub and ground cover trimming/pruning and fertilization
- Plant replacement and seasonal (color spot) plantings, including
- recommendations for plant materials used Identification and treatment of diseased trees and plants
- Debris removal and disposal from parking lots and culverts
- Weed and pest control
- Removal of fallen trees and branches after storms
- 24-hour on-call services for emergencies

AlphaBeta Corporation

AlphaBeta Commons

Scannability

Alignment + Scale + Weight + Color

Visually Strong Titles or Headings Orient the Reader in a Section or Topic

Initial few words in bold draws the eye. Inid toe es ano no derffo era eselt. Slarm tosm dena scroeri od rout dece ired teles, ant no der fo era eset; trom adena rot eri colm dece erid gene. Sche hegis tene mia trene sed lcni ti pobis yenom puti rof eulav solor a si. Mag stus sith tub. Dev telni ec natsi trav obis sit esuceb evis epex ebnac tenio he ni genil vart. Tuoh uarn won bus log on elb viaub!


Hanging a Heading Into the Margin Grabs the Eye

Eci grop sus imut sit escu ble evis epox eb nac. Inid toees ano no derfoera eselt. Slarm tosm dena scr ter od rout de eni ed teles, ant no deffera eselt; trom adena ro ceri colm de ene id gene sch theg tene iat entesed lcni ti po nis yenom puti rof eulav solor a si mag stus sith tub. Inid toeles ano no dereffo era eselt. Slarm tosm dena scroteriod rout. Nilbri enip iluh avi prita cnafr nas morf serta inko adr tas gin imus quooths.

Scale and Weight on a Strong Visual Axis Aids the Eye

Inid toeles ano no dereffo era eselt. Slarm tosm denaso teriod rout decenired teles, ant no dereffo era eselt; trom adena rotceri colm. Decenerid gene schethegis tene mia trente sedulcni ti pocnis yenom puti rof eulav solor a si magistus sith tub.

Using Color Draws the Eye





Bold or Italic in-Line Heading Enhances Clarity. Inid toeles and no dereffo era eselt. Slarm tosm dena scroteriod rout. Decenired teles, ant no dereffo era eselt; trom adena rotceri colm decenerid gene schethegis tene mia trente sedulcni ti pocnis yenom puti rof eulav solor a si magistus sith tub. Devitelni ec natsi travobis.

Scannability

SECTION TITLE

Summary text. Nilbri enippiluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Decenired teles, ant trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti pocnis yenom puti rof eulav solor a si sith tub.

Heading Number 1

Tuohguarn won buslog on elbaviaub! Nilbri enip piluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Heading Number 2

Slarm tosm dena scroteriod rout decenired teles, ant no dereffo era eselt; trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti tub. Inid toeles ano no dereffo era eselt. Slarm tosm dena scroteriod rout. Decenired teles, ant.

Heading Number 3 – With enough text to wrap onto the next line

Devitelni ec natsi travobis. Sit esuaceb evisnepex eb nac teniero he ni genile vart. Tuohguarn won buslog on elbaviaub! Inko adrutas gintimus quopoths.

Section Title

Summary text. Nilbri enippiluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Decenired teles, ant trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti pocnis yenom puti rof eulav solor a si sith tub.

Heading Number 1

Tuohguarn won buslog on elbaviaub! Nilbri enip piluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Heading Number 2

Slarm tosm dena scroteriod rout decenired teles, ant no dereffo era eselt; trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti tub. Inid toeles ano no dereffo era eselt. Slarm tosm dena scroteriod rout. Decenired teles, ant.

Heading Number 3 – With enough text to wrap onto the next line

Devitelni ec natsi travobis. Sit esuaceb evisnepex eb nac teniero he ni genile vart. Tuohguarn won buslog on elbaviaub! Inko adrutas gintimus quopoths.

Scannability: Text configuration

A readability issue.

Left Justified / Aligned *

And that night there came on a terrific storm, with driving rain, awful claps of thunder and blinding sheets of lightening. He covered his head with the bedclothes and waited in a horror of suspense for his doom; for he had not the shadow of a doubt that all this hubbub was about him.

Right Justified / Aligned

And that night there came on a terrific storm, with driving rain, awful claps of thunder and blinding sheets of lightening. He covered his head with the bedclothes and waited in a horror of suspense for his doom; for he had not the shadow of a doubt that all this hubbub was about him.

Justified

And that night there came on a terrific storm, with driving rain, awful claps of thunder and blinding sheets of lightening. He covered his head with the bedclothes and waited in a horror of suspense for his doom; for he had not the shadow of a doubt that all this hubbub was about him.

Centered

And that night there came on a terrific storm, with driving rain, awful claps of thunder and blinding sheets of lightening. He covered his head with the bedclothes and waited in a horror of suspense for his doom; for he had not the shadow of a doubt that all this hubbub was about him.

^{*} Use this configuration unless you have a *very* good reason not to.

Scannability: Word shapes

This is a critical readability detail!

Avoid

The underline function in your type style menu compromises word shapes. It's very difficult to read or remember text that has compromised word shapes.

USE ALL CAPS SPARINGLY. THERE IS NO WORD SHAPE IN A STRING OF CAPITAL LETTERS—THE TEXT IS A LONG LINE OF PATTERN THAT YOUR EYE AND BRAIN MUST DECODE.

Visually Confusing SPECIAL EFFECTS. They're another kind of pattern your brain must work to decode.

Use Instead

Bold is an alternative that does the same job, while leaving word shapes intact.

Italic is an alternative that does the same job, while leaving word shapes intact.

Insetting the text is an alternative that does the same job, while leaving the word shapes intact.

Your alternate type family is an alternative that does the same job, while leaving word shapes intact.

Visual hierarchy

Go from large, bold type with color to small, light weight, black text.

Section Title

Summary text. Nilbri enippiluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Decenired teles, ant trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti pocnis yenom puti rof eulav solor a si sith tub.

Heading Number 1

Tuohguarn won buslog on elbaviaub! Nilbri enip piluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Heading Number 2

Slarm tosm dena scroteriod rout decenired teles, ant no dereffo era eselt; trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti tub. Inid toeles ano no dereffo era eselt. Slarm tosm dena scroteriod rout. Decenired teles, ant.

Heading Number 3 – With enough text to wrap onto the next line

Devitelni ec natsi travobis. Sit esuaceb evisnepex eb nac teniero he ni genile vart. Tuohguarn won buslog on elbaviaub! Inko adrutas gintimus quopoths.

Visual hierarchy: The template

CONTENTS

INT	DUCTION	13
TI	OF FIRST SECTION	15
	Table 1 ~ Table title or abreviated description	17
TI	OF SECOND SECTION	18
	ding 1	31
	leading 2	32
	Chart 1 ~ Chart title or abreviated description	34
	Heading 2	20

INTRODUCTION

Nilbri enip piluih avi prita chafr nasomorf serupta. Inko adrutas gintimus quopoths. Keci grop sussimut sit escuable evisnepox eb nac. Inid toeles ano no dereffo era eselt. Slarm tosm dena scroteriod rout decenired teles, ant no dereffo era eselt.

- 1. Numbered List First Entry (Sequential or Hierarchical Lists only)
- 2. Numbered List Last Entry

Trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti pocnis yenom puti rof eulav solor a si magistus sith tub.

- Bullet List First Entry (Random Order Lists)
- · Bullet List Last Entry

Decenired teles, ant no dereffo era eselt; trom adena rotteri colm decenerid gene schethegis tene mia trente sedulcni ti pocnis yenom puti rof eulav solor a si magistus sith tub. Devitelni ec natsi travobis. Sit esuaceb evisnepex eb nac teniero he ni genile vart. Tuohguarn won buslog on elbaviaub! Nilbri enippiluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Corporate Committee on Outreach Viability:

Name Surname, PhD, Committee Chair, Director, Generic Education Program,
Los Angeles Center

Second Surname, Director, Community Outreach Programs, Generic Education Center, San Francisco



TITLE OF EACH SECTION

Sche hegis tene mia trene sed lcni ti pobis yenom puti rof eulav solor a si. Mag stus sith tub. Dev telni ec natisi trav obis sit esuceb evis epex ebnac tenio he ni genil vart. Tuoh uarn won bus log on elb viaub!

Eci grop sus imut sit escu ble evis epox eb nac. Inid toees ano no derfoera eselt. Slarm tosm dena scr ter od rout de eni ed teles, ant no deffera.

Table 1 ~ Table title enip piluih avi prita cnafr nasomorf serupta.

Table Heading	Table Heading	Table Heading	Table Head
Table text entry 1	Table text for cell two	Table text for cell three	Table text
Table text entry 2	Table text for cell two wrapping to second line and then line three	Table text for third cell	Table text
Table text entry 3	Table text for cell two	Table text for cell three	Table text

Decenired teles, ant no dereffo era eselt; trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti pocnis yenom puti rof eulav solor a si magistus sith tub.

Heading Number 1

Tuohguarn won buslog on elbaviaub! Nilbri enip piluih ayi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths.

Marginalia Heading

Marginalia tex.t Devitelni ec natsi travobis. Sit esuaceb evisne pex eb nac teniero he ni genile vart.

Heading Number 2

Slarm tosm dena scroteriod rout decenired teles, ant no dereffo era eselt; trom adena rotceri colm decenerid gene schethegis tenemiatrente sedulcni ti pocnis yenom puti rof eulav solor a si magistus sith tub.Inid toeles ano no dereffo era eselt. Slarm tosm dena scroteriod rout. Decenired teles, ant.

Heading Number 3

Devitelni ec natsi travobis. Sit esuaceb evisnepex eb nac teniero he ni genile vart. Tuohguarn won buslog on elbaviaub! Nilbri enippiluih avi prita cnafr nasomorf serupta. Inko adrutas gintimus quopoths



Caption for Graphic or Photo



Pattern/Meaning/Consistency: Captions/headings

Settle on one convention, then stick to it throughout the document.

This is a succulent that needs little water and is resistant to frost.



Figure 12
This is a succulent that needs little water and is resistant to frost.




Figure 12




This is a hearty succulent that is both drought and frost resistant.

Pattern/Meaning/Consistency: Tables


Meaning must be clear.






Pattern/Meaning/Consistency: Graphics


Flow must be clear at a glance.







Pattern/Meaning/Consistency: Graphics

Meaning must be clear at a glance.






Color





Pacing: The pages

The relationship between content and visuals in a multi-page document.



Pacing: The document

Minimize visual repetition in consecutive pages/spreads

Visual Monotony



Excessive Visual Excitement



Visual Rhythm



Recap

- Identify unstated information requirements
 - become more client-focused
 - understand the communication process
- Create pages that support and enhance your message
 - understand visual (vs. verbal) communication
 - communicate more effectively through Page Architecture™





Putting on the Client's Hat

Compelling, Responsive Content meets Page Architecture™

Thank You!

Beverley Sinclair 650-796-8491 beverley@sinclair-and-associates.com Nancy Webb 510.531.3611 nancy@nancywebb.com

